



MIKRO


LED stripe max 10 mm



profile LED MIKRO



for lighting a glass 6mm thick



anodized

1000mm 68530020
2000mm 68540020

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection



endings



/set= 2pcs/

ending MI
transparent


68560000





ENDING THICKNESS INCREASES
THE LENGTH OF THE PROFILE

mounting


OPTIONAL
MOUNTING:



mounting LED stripe




placement glass in
the profile




LED strip + cable
+ power supply

OVAL

LED strip max 20 mm



profile LED OVAL BC




profile LED OVAL a stick to hang clothes; fitting to furniture's wall by using mounting holder OV; the lighting of wardrobe's inside

anodized

1000mm 92020020
2000mm 92030020

długości standardowe: 1000, 2000mm;
długość powyżej 2000mm - odbiór własny
(długość maksymalna 4000mm)



COVERS



cover slide B

milczny szron transparent


1000mm	1000mm	1000mm
76240038	76240039	76240016
2000mm	2000mm	2000mm
76250038	76250039	76250016



cover click C

milczny transparent


1000mm	1000mm
76320038	76320000
2000mm	2000mm
76330038	76330000



cover lens C

transparent

1000mm
76290000
2000mm
76300000






MOUNTING




OPTIONAL MOUNTING:




holder OV
92040022




holder OV simple
92070030




LED strip + cable
+ power supply





LED mounting
- Fortimo LED



LED mounting
- strip




Profile mounting




metal plate
28x10-A
(fixed (only) in the
holder with the cable
passing through)

PEN


LED stripe max 10 mm



profile LED PEN I



for lighting display cases, images, exposure of trinkets; possibility of directing the light; specially tailored lens; various mounting accessories



anodized

1000mm 86020020
2000mm 86030020



standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection

covers



cover I

1000mm 86050000
2000mm 86060000




mounting


OPTIONAL MOUNTING:




holder PE simple 86370030 /set = 2pcs/




holder PE of stretcher 86290003




end holder PE 86160003




holder PE flat 86070022



holder PE jointed with thread 86090003



double holder PE with thread 86330003




LED strip + cable + power supply

OPTIONAL CONNECTOR:




holder PE jointed with soffit ceiling 86080003



double holder PE with thread 86330003




double holder PE with soffit ceiling 86320003



holder PE jointed with thread 86090003




holder PE jointed with thread 86090003




double holder PE with soffit ceiling 86320003

SHELF MULTI

LED stripe max 10 mm



profile LED SHELF MULTI




can be used as a shelf or cables hiding cover giving decorative and uniform light; accessory for cables hiding click-on cover profile; application as a shelf – max. load 7kg

anodized

1000mm 25020020
2000mm 25030020


standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection

COVERS




cover PH/LO/SM standard

1000mm 63580000
2000mm 63590000




cover PH/LO/SM narrow

1000mm 63610000
2000mm 63620000




cover PH/LO/SM anodized

1000mm 63550020
2000mm 63560020




ENDINGS




ending SM

silver ▶ 25110022




ending SM throughout

▶ 25150022




ending SM connector

▶ 25130022




ending SM shelf

▶ 25120022




ending SM throughout shelf

▶ 25160022




ending SM connector shelf

▶ 25140022




MOUNTING

OPTIONAL MOUNTING:




wall bracket SM




wall bracket SM anodized
1000 - 25050020
2000 - 25060020





wall bracket SM black anodized
1000 - 25050021
2000 - 25060021



wall bracket SM white anodized
1000 - 25050001
2000 - 25060001




holder SM
25100030




LED strip + cable + power supply


MOUNTING LIGHT SOURCES:



socket frame SM 0,5
25190020



socket frame SM 1
25200020




socket frame SM 2
25210020




socket frame mounting

MOUNTING ENDING:



SLIM

LED strip max 8 mm




profile LED SLIM A/Z




the smallest profile for LED strip 8mm wide, which can be mounted on the surface; various applications

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection





raw	anodized	black anodized	white painted
1000mm 89020000	1000mm 89020020	1000mm 89020021	1000mm 89020001
2000mm 89030000	2000mm 89030020	2000mm 89030021	2000mm 89030001

COVERS




cover A white frosted transparent



1000mm	1000mm	1000mm
89060038	89060039	89060016
2000mm	2000mm	2000mm
89070038	89070039	89070016



ENDING



/set= 2pcs/



/set= 2pcs/

silver
black
white
grey

ending SL
89100040
89100002
89100001
89100022

ending SL with hole
89160040
89160002
89160001
89160022



MOUNTING

OPTIONAL MOUNTING:





/set = 2pcs/

holder SL simple
89110030




flexible mounting plate Z INOX
89270019




LED strip + cable
+ power supply



two-sided adhesive tape
76340000



glue




screw


OPTIONAL CONNECTOR:



connector L SL



anodized
89150020




black anodized
89150021




white painted
89150001

STEP

LED strip max 10 mm




profile LED STEP C



anti-slip function;
two lighting direction,
edge or/and upward

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection






anodized

1000mm **32060020**
2000mm **32080020**

black anodized

1000mm **32060021**
2000mm **32080021**

covers






cover
click C

white transparent

1000mm 1000mm
76320038 76320000
2000mm 2000mm
76330038 76330000

accessories





anti-slip insert ST

colorless
1000mm **32130000**
1500mm **32140000**
2000mm **32150000**
black
1000mm **32130002**
1500mm **32140002**
2000mm **32150002**

cover LED STEP

anodized
1000mm **32090020**
1500mm **32110020**
2000mm **32120020**
black anodized
1000mm **32090021**
1500mm **32110021**
2000mm **32120021**

endings



/set= 2pcs/


ending ST

▶ **32100022**
▶ **32100002**



silver
black

ENDING THICKNESS INCREASES
THE LENGTH OF THE PROFILE



mounting




mounting - profile




mounting-LED stripe





LIGHTING ANGLES



LED strip + cable
+ power supply



mounting - cover




mounting - anti-slip insert



SURFACE

LED strip max 10 mm

UE Patent No. 001321780_0003 - zastrzeżone w UE




profile LED SURFACE BC/UX




effect of interesting light lines; flat mounting backwards or sideways in the slots; individually or in groups

standard lengths: 1000, 2000mm; max. length 4000mm; length above 2000mm - own collection





	anodized	black anodized	white anodized
1000mm	77260020	1000mm 77260021	1000mm 77260001
2000mm	77270020	2000mm 77270021	2000mm 77270001

COVERS





cover slide B

white	frosted	transparent
1000mm 76240038	1000mm 76240039	1000mm 76240016
2000mm 76250038	2000mm 76250039	2000mm 76250016



cover dick C


white	transparent
1000mm 76320038	1000mm 76320000
2000mm 76330038	2000mm 76330000




cover lens C

transparent
1000mm 76290000
2000mm 76300000


endings




ending SU
 silver ▶ 70360040
 black ▶ 70360002
 white ▶ 70360001
 grey ▶ 70360022



ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE



ending SU with hole
 ▶ 77540040
 ▶ 77540002
 ▶ 77540001
 ▶ 77540022






ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting




OPTIONAL MOUNTING:



mounting plate X
76260000





mounting plate U INOX
76380000





LED strip + cable + power supply



holder SU simple
77370030





connector L SU
 anodized 77410020
 black anodized 77410021
 white painted 77410001



OPTIONAL CONNECTOR:




connector X
76350000




TRIO

LED strip max 10 mm




profile LED TRIO BC




corner profile 45 degree;
can be mounted on the surface by screws
or inside the gap by glue

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection




anodized

1000mm 91020020
2000mm 91030020



black anodized


1000mm 91020021
2000mm 91030021



white painted

1000mm 91020001
2000mm 91030001



COVERS



cover side B

white frosted transparent


1000mm 76240038
2000mm 76250038
1000mm 76240039
2000mm 76250039
1000mm 76240016
2000mm 76250016



cover click C

white transparent


1000mm 76320038
2000mm 76330038
1000mm 76320000
2000mm 76330000




cover lens C

transparent


1000mm 76290000
2000mm 76300000



endings



/set= 2pcs/




silver
black
white
grey

ending TR
91050040
91050002
91050001
91050022


ENDING THICKNESS INCREASES
THE LENGTH OF THE PROFILE

mounting


OPTIONAL MOUNTING:




screw



glue




mounting adhesive
LED stripe




LED strip + cable
+ power supply

TWIN

LED stripe max 8 mm




profil LED TWIN



for lighting furniture back wall or/and optionally the glass 8mm thick

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection




raw aluminium


1000mm **82130000**
2000mm **82150000**

mounting


OPTIONAL MOUNTING:



mounting - LED stripe





mounting on glass set screw 2xM4



LED strip + cable + power supply


OPTIONAL WEERSTON:



profil LED TWIN Plus


1000mm **82140000**
2000mm **82160000**

OPTIONAL MOUNTING:





UNI12

LED strip max 12 mm



profile LED UNI12 BCD/U




small, multi-purpose profile;
ideal heat sink;
Compatible with some of the X accessories - covers and holders. Application with the new click cover imposed from the outside - you can get a waterproof solution.


standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection

raw	anodized	black anodized	white painted
1000mm A1010000	1000mm A1010020	1000mm A1010021	1000mm A1010001
2000mm A1010000	2000mm A1010020	2000mm A1010021	2000mm A1010001


covers




cover slide B	white	frosted	transparent
1000mm	76240038	76240039	76240016
2000mm	76250038	76250039	76250016




cover click C	frosted	transparent
1000mm	76320038	76320000
2000mm	76330038	76330000




cover lens C	transparent
1000mm	76290000
2000mm	76300000




endings




/set = 2pcs/
ending UN12
▶A1080040
▶A1080002
▶A1080001
▶A1080022



ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE



/set = 2pcs/
ending UN12 with hole
▶A1100040
▶A1100002
▶A1100001
▶A1100022





ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting




OPTIONAL MOUNTING:



mounting plate flexible U INOX
76380000




mounting adhesive LED strip



LED strip + cable + power supply

WIDE

LED strip max 24 mm




profile LED WIDE G/W



for mounting on the surface by using special double-sided adhesive tape; can be used under cupboards e.g. as a lighting of kitchen tops

standard lengths: 1000, 2000mm;
max. length 4000mm;
length above 2000mm - own collection




raw	anodized	black anodized	white painted
1000mm 84020000	1000mm 84020020	1000mm 84020021	1000mm 84020001
2000mm 84030000	2000mm 84030020	2000mm 84030021	2000mm 84030001


covers



cover G white	cover G frosted	cover G transparent
1000mm 84060038	1000mm 84060039	1000mm 84060016
2000mm 84070038	2000mm 84070039	2000mm 84070016




endings




ending WI
84130022
84130002
84130001
84130022


silver
black
white
grey



ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE



ending WI with hole
84310040
84310002
84310001
84310022




ENDING THICKNESS INCREASES THE LENGTH OF THE PROFILE

mounting



OPTIONAL MOUNTING:




holder WI simple
84220030




two-sided adhesive tape
76340000







mounting plate W flexible INOX
84520019






screw



LED strip + cable
+ power supply








mounting LED strip - max. 3 x 8 mm



mounting LED module
1,5W f30 6led

ALUMINIUM PROFILES/ ALUMINIJSKI PROFILI

FOR LED STRIPS/ ZA LED TRAKU



SKU CODE	SIZE	COLOR
DAL9981	17 x 12 x 1000 mm	Transparent
DAL9982	17 x 12 x 1000 mm	Matt
DAL9983	17 x 12 x 1000 mm	Transparent
DAL9984	17 x 12 x 1000 mm	Matt
DAL9985	25 x 9 x 1000 mm	Transparent
DAL9986	25 x 9 x 1000 mm	Matt
DAL9987	19 x 19 x 1000 mm	Matt